





EMI Shielding Gasket

Structure



Performances:

Frequency	Attenuation
30 MHz	90
100 MHz	>100
500 MHz	>100
1 GHz	>100
10 GHz	110
Surface resistivity:	Nickel/Copper < 0.05 ohms/square
Abrasion resistance:	Excellent
Compression set:	< 10% (typical)
Temperature range:	-40 to +70° (typical)



D shape please contact us if you need other size.

Part No	W(mm/in)	H(mm/in)	Part No	W(mm/in)	H(mm/in)
PM-D-1.6-1.6	1.6(0.063)	1.6(0.063)	PM-D-15-9.5	15(0.5906)	9.5(0.374)
PM-D-10-2	10(0.3937)	2(0.0787)	PM-D-16-8	16(0.6299)	8(0.315)
PM-D-10-2.5	10(0.3937)	2.5(0.0984)	PM-D-17-17	17(0.6693)	17(0.6693)
PM-D-10-3.5	10(0.3937)	3.5(0.1378)	PM-D-18.5-5	18.5(0.7283)	5(0.1969)
PM-D-10-10	10(0.3937)	10(0.3937)	PM-D-2-2	2(0.0787)	2(0.0787)
PM-D-10-5	10(0.3937)	5(0.1969)	PM-D-2-2.5	2(0.0787)	2.5(0.0984)
PM-D-10-6	10(0.3937)	6(0.2362)	PM-D-2.2-1.8	2.2(0.0866)	1.8(0.0709)
PM-D-10-6.5	10(0.3937)	6.5(0.2559)	PM-D-2.3-2.3	2.3(0.0906)	2.3(0.0906)
PM-D-10-7	10(0.3937)	7(0.2756)	PM-D-2.5-1.5	2.5(0.0984)	1.5(0.0591)
PM-D-11-3	11(0.4331)	3(0.1181)	PM-D-2.5-2.5	2.5(0.0984)	2.5(0.0984)
PM-D-11-4	11(0.4331)	4(0.1575)	PM-D-2.5-3.6	2.5(0.0984)	3.6(0.1417)
PM-D-12-2	12(0.4724)	2(0.0787)	PM-D-2.5-5	2.5(0.0984)	5(0.1969)
PM-D-12-3	12(0.4724)	3(0.1181)	PM-D-3-1	3(0.1181)	1(0.0394)
PM-D-12-4	12(0.4724)	4(0.1575)	PM-D-3-2	3(0.1181)	2(0.0787)
PM-D-12-4.5	12(0.4724)	4.5(0.1772)	PM-D-3-4	3(0.1181)	4(0.1575)
PM-D-12-5	12(0.4724)	5(0.1969)	PM-D-3.3-4	3.3(0.1299)	4(0.1575)
PM-D-12-5.5	12(0.4724)	5.5(0.2165)	PM-D-3.4-1.8	3.4(0.1339)	1.8(0.0709)



PM-D-12-6	12(0.4724)	6(0.2363)	PM-D-3.5-3	3.5(0.1378)	3(0.1181)
PM-D-12.2-5.1	12.2(0.4803)	5.1(0.2008)	PM-D-3.5-3.5	3.5(0.1378)	3.5(0.1378)
PM-D-12.51-12.7	12.51(0.4925)	12.7(0.5)	PM-D-3.6-2	3.6(0.1417)	2(0.0787)
PM-D-12.7-17.8	12.7(0.5)	17.8(0.7008)	PM-D-3.8-1	3.8(0.1496)	1(0.0394)
PM-D-12.7-2.3	12.7(0.5)	2.3(0.0906)	PM-D-3.8-1.5	3.8(0.1496)	1.5(0.0591)
PM-D-12.7-5	12.7(0.5)	5(0.1969)	PM-D-3.8-2.3	3.8(0.1496)	2.3(0.0906)
PM-D-12.7-9.5	12.7(0.5)	9.5(0.374)	PM-D-3.8-3	3.8(0.1496)	3(0.1181)
PM-D-13-11	13(0.5118)	11(0.4331)	PM-D-3.8-3.8	3.8(0.1496)	3.8(0.1496)
PM-D-15-10	15(0.5906)	10(0.3937)	PM-D-3.9-1.5	3.9(0.1535)	1.5(0.0591)
PM-D-15-2	15(0.5906)	2(0.0787)	PM-D-4-1.5	4(0.1575)	1.5(0.0591)
PM-D-4-2.5	4(0.1575)	2.5(0.0984)	PM-D-6.4-4.7	6.4(0.252)	4.7(0.185)
PM-D-4-3	4(0.1575)	3(0.1181)	PM-D-6.5-5	6.5(0.2559)	5(0.1969)
PM-D-4.2-3.4	4.2(0.1654)	3.4(0.1339)	PM-D-7-3	7(0.2756)	3(0.1181)
PM-D-4.83-3.3	4.83(0.1902)	3.3(0.1299)	PM-D-7-5.5	7(0.2756)	5.5(0.2165)
PM-D-5-2	5(0.1969)	2(0.0787)	PM-D-7.5-1.8	7.5(0.2953)	1.8(0.0709)
PM-D-5-2.5	5(0.1969)	2.5(0.0984)	PM-D-7.5-5	7.5(0.2953)	5(0.1969)
PM-D-5-4	5(0.1969)	4(0.1575)	PM-D-7.6-2	7.6(0.2992)	2(0.0787)
PM-D-5.5-5.5	5.5(0.2165)	5.5(0.2165)	PM-D-7.6-2.5	7.6(0.2992)	2.5(0.0984)
PM-D-5.8-2	5.8(0.2283)	2(0.0787)	PM-D-8-10	8(0.315)	10(0.3937)
PM-D-6-1.5	6(0.2362)	1.5(0.0591)	PM-D-8-2.5	8(0.315)	2.5(0.0984)
PM-D-6-2	6(0.2362)	2(0.0787)	PM-D-8-3.5	8(0.315)	3.5(0.1378)
PM-D-6-2.5	6(0.2362)	2.5(0.0984)	PM-D-8-4	8(0.315)	4(0.1575)
PM-D-6-3	6(0.2362)	3(0.1181)	PM-D-8-5	8(0.315)	5(0.1969)
PM-D-6-3.5	6(0.2362)	3.5(0.1378)	PM-D-8-8	8(0.315)	8(0.315)
PM-D-6-4	6(0.2362)	4(0.1575)	PM-D-8.4-3	8.4(0.3307)	3(0.1181)
PM-D-6-4.5	6(0.2362)	4.5(0.1772)	PM-D-9-3.5	9(0.3543)	3.5(0.1378)
PM-D-6-5	6(0.2362)	5(0.1969)	PM-D-9-7.5	9(0.3543)	7.5(0.2953)
PM-D-6-6	6(0.2362)	6(0.2362)	PM-D-9.5-6.5	9.5(0.374)	6.5(0.2559)
PM-D-6.2-7	6.2(0.2441)	7(0.2756)	PM-D-9.9-2	9.9(0.3898)	2(0.0787)
PM-D-6.3-1.5	6.3(0.248)	1.5(0.0591)	PM-D-10-2	10(0.3937)	2(0.0787)
PM-D-6.3-3	6.3(0.248)	3(0.1181)	PM-D-12-2	12(0.4724)	2(0.0787)
PM-D-6.35-2.5	6.35(0.25)	2.5(0.0984)	PM-D-12-3.	12(0.4724)	3(0.1181)
PM-D-6.35-3.56	6.35(0.25)	3.56(0.1402)	PM-D-12.51-12.7	12.51(0.4925)	12.7(0.5)
PM-D-6.4-1.5	6.4(0.252)	1.5(0.0591)	PM-D-12.7-9.5	12.7(0.5)	9.5(0.374)
PM-D-6.4-2.3	6.4(0.252)	2.3(0.0906)	PM-D-16-8	16(0.6299)	8(0.315)
PM-D-6.4-3.6	6.4(0.252)	3.6(0.1417)			